KLEIB PROFESSIONAL C3S

PRIMER USED FOR PRIMING REINFORCED LAYERS OF SURFACES INTENDED FOR THE APPLICATION OF SILICATE PLASTERS.

KLEIB PROFESSIONAL C3S is part of a product set used for the KLEIB building insulation system in compliance with Technical Approval no. AT-15-8239/2013 and the KLEIB W system in compliance with no. AT-15-8895/2013. The approvals have been issued by the Building Research Institute in Warsaw.

USE

KLEIB PROFESSIONAL C3S is a product used for preparing the substrates intended for the application of thin-layer silicate plasters. It is part of the KLEIB and KLEIB W thermal insulation systems.

SUBSTRATE PREPARATION

The substrate should be stable, flat and solid (i.e. sufficiently strong and purified of any layers that could weaken the mortar's adhesion).

PRODUCT PREPARATION

KLEIB PROFESSIONAL C3S is provided ready-for-use. After opening the bucket, the contents should be mixed in order to smoothen the product's consistency.

APPLICATION

Spread the product evenly with a brush on the entire surface of the prepared substrate. The reinforced layer of the insulation system can only be primed 72 hours after its application. Start applying plaster to the surface after the product has completely dried, but no later than 72 hours after its application. When this time expires, the surface must be primed once again.

PRODUCT CONSUMPTION

Approx. 0.35 kg/m^2 .

STORAGE AND TRANSPORTATION

The product must be stored in airtight buckets in dry conditions and above zero temperatures (between +5°C and +25°C) for a maximum of 12 months after the production date found on the label.

TECHNICAL SPECIFICATION

| Bulk density | | $1.32 \text{ g/cm}^3 \pm 10\%$ |
|-----------------------------|----------|--------------------------------|
| Percentage of dry substance | | 49.3 -2.5/+4.9 [%] |
| Percentage of ash | in 450°C | 76.3 - 80.3 [%] |
| | in 900°C | 48.9 - 52.9 [%] |

This product is compliant with Technical Approval no. AT-15-8239/2013. This product is compliant with Technical Approval no. AT-15-8895/2013.

National Declaration of Conformity no. ... for the KLEIB insulation system. National Declaration of Conformity no. ... for the KLEIB W insulation system.

MANUFACTURER

KLEIB sp. z o.o. Kolejowa 15 - 17 87-880 Brześć Kujawski Phone/Fax: 54 233-82-83 www.kleib.pl

Bar code



Certifying authority that participated in the evaluation of conformity:

Building Research Institute

Filtrowa 1

00-611 Warsaw

National Declaration of Conformity no. ... for the KLEIB insulation system. National Declaration of Conformity no. ... for the KLEIB W insulation system.

Produced in the following plant: KLEIB sp. z o.o. Kolejowa 15 - 17 87-880 Brześć Kujawski

Production date: