

M9 MOSAIC PLASTERS

Intended for protective and decorative plaster in the KLEIB external thermal insulation system with plasters. It can be used on any mineral surface which is even and sound. It can also be applied on surfaces of building base courses, wall bases, balcony balustrades, fencing elements, as well as in interiors where increased mechanical resistance is required, such as staircases, corridors, halls etc.



- high durability
- resistant to washing, cleaning and abrasion
- high aesthetic qualities
- high resistance to mechanical damage
- total resistance to UV and weather conditions

net weight	pieces per pallet	average consumption
4.3 kg of premix or 16 kg net of ready-to-use render in bulk	44	3.1-3.5 kg/m ² for grain thickness of 1.0-1.6 mm

M9 grain size: 1.0-1.6 mm “Qsand”

4 bag system (2.925 kg x 4 = 11.700 kg + 4.3 pulp = 16 kg), 10 colours to choose from. One digit of the symbol represents a 25% share of the aggregate in the mix. This corresponds to 2.925 kg of the aggregate for a 16 kg bucket containing 4.3 kg of a premix. Consumption: 3.1-3.5 kg/m².

In case of KLEIB M9 mosaic plasters it is recommended one use a KLEIB C3 primer of the brightest-coloured quartz aggregate to avoid any contrast between the undercoat and the plaster.



M9 MOSAIC GENERATOR

Select a ready composition from the mosaic palette (page 40) or create your own using the M9 mosaic generator available at www.kleib.pl

COLOUR OF M9 PLASTER	SYMBOL	COLOUR OF THE PRIMER
SAN MARINO	2288	WHITE (P BASE)
HAMBURG	2223	WHITE (P BASE)
TALLINN	2227	WHITE (P BASE)
ROTTERDAM	2277	WHITE (P BASE)
HANNOVER	2225	WHITE (P BASE)
MUNICH	0522	WHITE (P BASE)
DUBLIN	2245	WHITE (P BASE)
PARIS	1246	WHITE (P BASE)
RIGA	1488	GEORGIA
TURIN	1222	WHITE (P BASE)
LISBON	2777	WHITE (P BASE)
FRANKFURT	2247	WHITE (P BASE)
LUKSEMBURG	2257	WHITE (P BASE)
ATHENS	0233	WHITE (P BASE)
COPENHAGEN	2357	WHITE (P BASE)
BUDAPEST	0255	WHITE (P BASE)
PRAGUE	0011	GEORGIA
WARSAW	1122	WHITE (P BASE)
MILAN	6677	ZIMBABWE
LEIPZIG	2477	WHITE (P BASE)
ANKARA	0247	WHITE (P BASE)
MADRID	0244	WHITE (P BASE)
LONDON	0257	WHITE (P BASE)
SZTOKHOLM	0557	NAMIBIA
BRATISLAVA	1129	WHITE (P BASE)
VIENNA	0022	WHITE (P BASE)
COLOGNE	5777	ZIMBABWE
MOSCOW	0227	WHITE (P BASE)
ROME	0466	GAMBIA
BARCELONA	0456	RWANDA
MINSK	0055	RWANDA
OSLO	0555	NAMIBIA
KIEV	1199	DENMARK
BRUSSELS	0112	WHITE (P BASE)
VILNIUS	4467	PARAGUAY
MONACO	0046	CUBA
BERLIN	0033	BRUNEI
AMSTERDAM	0044	CUBA
NAPLES	0045	RWANDA
SOFIA	0015	DENMARK

M10 MOSAIC PLASTERS

KLEIB M10 is a protective and decorative plaster in the external thermal insulation with plaster ETICS KLEIB. It can be used on any mineral surface which is even and sound. It can also be applied on surfaces of building base courses, wall bases, balcony balustrades, fencing elements, as well as in interiors where increased mechanical resistance is required, such as staircases, corridors, halls etc. In case of manual application use Venetian plastering trowels.




- high durability
- resistance to washing, cleaning and abrasion
- high aesthetic qualities
- high resistance to mechanical damage
- total resistance to UV rays and weather conditions

system	net weight	pieces per pallet	average consumption
1	4.3 kg of premix per 15 kg net of ready-to-use plaster in bulk	44	3.1-3.5 kg/m ² for grain size of 0.8-1.2 mm
2	4.3 kg of premix per 16 kg net of ready-to-use plaster in bulk	44	3.3-3.6 kg/m ² for grain size of 1.0-1.6 mm

SYSTEM 1: M10 grain size: 0.8-1.2 mm “Qsand”

4-bag system (2.657 kg x 4 = 10.700 kg + 4.3 kg of pulp = 15 kg) from 8 colours.



One letter of the symbol represents the 25% share of the aggregate in the mix. This corresponds to 2.675 kg of aggregate for a 15 kg bucket containing 4.3 kg of premix. Consumption: 3,1-3,5 kg/m² for 0,8-1,2 mm grain size.

COLOUR OF M10 PLASTER	SYMBOL	COLOUR OF THE COMPOUND
KRAKÓW	BBCC	WHITE (P BASE)
POZNAŃ	ABBC	WHITE (P BASE)
SZCZECIN	BCCC	WHITE (P BASE)
KOSZALIN	AACC	WHITE (P BASE)
KOŁOBRZEG	AABB	GEORGIA
ŁÓDŹ	BCEG	WHITE (P BASE)
BYDGOSZCZ	ACDD	WHITE (P BASE)
WŁOCŁAWEK	ACEE	WHITE (P BASE)
GDAŃSK	CCCH	WHITE (P BASE)
WROCŁAW	CCHH	WHITE (P BASE)
KATOWICE	CHHH	WHITE (P BASE)
CZĘSTOCHOWA	CCCD	WHITE (P BASE)
TORUŃ	CCEH	WHITE (P BASE)
KIELCE	CEHH	WHITE (P BASE)
RZESZÓW	ACCH	WHITE (P BASE)
RADOM	ACEH	WHITE (P BASE)
LUBLIN	AAEE	CUBA
BIAŁYSTOK	AADD	BRUNEI
ZIELONA GÓRA	AAEG	CUBA
KALISZ	AEGG	GAMBIA

SYSTEM 2: M10 grain size 1.0 - 1.6 mm “Qsand”

M10 (40 colours) 4-bag system (2.925 kg x 4 = 11.700 kg + 4.3 kg of pulp = 16 kg) from 10 colours.



One digit of the symbol represents the 25% share of the aggregate in the mix. This corresponds to 2.925 kg of aggregate for a 16 kg bucket containing 4.3 kg of premix.

Consumption: 3,3-3,6 kg/m² for 1,0-1,6 mm grain size. Color palette of the M10 mosaic render coat – system 2 is available on page 40.



SAN MARINO 2288




HAMBURG 2223



TALLINN 2227




ROTTERDAM 2277



RIGA 1488



TURIN 1222



LISBON 2777



FRANKFURT 2247



PRAGUE 0011



WARSAW 1122



MILAN 6677



LEIPZIG 2477



BRATISLAVA 1129



VIENNA 0022



COLOGNE 5777



MOSCOW 0227



KIEV 1199



BRUSSELS 0112



VILNIUS 4467



MONACO 0046



HANNOVER 2225



MUNICH 0522



DUBLIN 2245



PARIS 1246



LUXEMBOURG 2257



ATHENS 0233



COPENHAGEN 2357



BUDAPEST 0255



ANKARA 0247



MADRID 0244



LONDON 0257



STOCKHOLM 0557



ROME 0466



BARCELONA 0456



MINSK 0055



OSLO 0555



BERLIN 0033



AMSTERDAM 0044



NAPLES 0045



SOFIA 0015

Presented mosaic colours are for reference only. The product should be selected on the basis of the palette of KLEIB PROFESSIONAL acrylic mosaic renders, available at wholesalers.